



Decora™  
Blind Systems

## PRODUCT SPECIFICATION GUIDE



[www.decora.co.uk](http://www.decora.co.uk)



## Contents

03. Standard Definitions	05. Sunweave™	06. Louvre	07. Softshade™
04. Timberlux™	05. Sunvent™	06. Durashade™	07. Cassette
05. Sunwood™	06. Roller	07. Aluminium	08. Skyline™
05. Sunpleat™	06. ttRoller	07. ttVenetian	08. Velux

## Product Specifications

This document clarifies standard terms and definitions used when ordering. It also details our standard default specifications as well as optional variations that are available on request. Please keep this document for your future reference. When ordering any blind it is always important to remember to state the following:

**01.** If the measurement you have quoted is blind size, recess or something else e.g. fabric size – be sure you know the Decora understanding of the term you use. Refer to our Standard Definitions document if in any doubt.

**02.** Unit of measurement used for the dimensions quoted i.e. mm, cm, inches.

**03.** Decora will match the ladders/tape cords or thread to the colour of the blind, if you want something different you must specify at the point of ordering. Also remember if changing ladders or tapes, you must request the cord to be changed as well if you want the product to match.

**04.** Decora reserve the right to make changes to this default specification guide. For the most up-to date guide please refer to the Decora website [www.decora.co.uk](http://www.decora.co.uk)

**\* Optional variations are available, however surcharges may apply. Blinds outside these specifications can be manufactured, however Decora reserves the right to apply a wavier to non standard requests as applicable. Please check with Customer Services at time of ordering.**



# DECORA PRODUCT DEFINITIONS

standard defaults & optional variations

DECORA TERMINOLOGY	ALTERNATIVE TERMS	DEFINITIONS
<b>RECESS SIZE</b>	Inside recess	The smallest measurement calculated by measuring the recess width from wall to wall in three places (top, middle & bottom) and the drop from the top of the recess to the window sill in three places.
<b>BLIND SIZE</b>	Actual Size Finished Size Exact Size Pin to Pin Bracket to Bracket	The measurement given for the exact area you would like the blind to cover outside the window recess. Decora uses blind size measurement as actual size of headrail, not including end caps and brackets
<b>GLASS SIZE</b>	n/a	The visible width and drop of the glass in the frame. For tilt and turn products only
<b>TASSEL</b>	Acorn Pull	Decorative knob to secure raise and/or tilt cords on roller or venetian blinds
<b>BRAID</b>	Trim	Narrow ornamental tape/fabric that decorates bottom of roller blinds
<b>CLUTCH</b>	Sidewinder Friction Unit Control End	Roller friction mechanism operated by a chain (plastic or metal)
<b>GUIDE WIRES</b>	Side Guides	To hold a blind in position if it is being fitted to a door. Please note that guide wires are no side channels
<b>BEADED CHAIN</b>	Regular Chain	Beaded chain used in conjunction with a clutch to operate roller blinds
<b>GEAR</b>	Crank Handle	Operating handle used to adjust roller blinds. The handle is rotated in a clockwise direction to lift the blind up & in an anti clockwise direction to bring the blind down
<b>BASSWOOD</b>	-	A popular wood for blinds due to its lightweight nature, its uniform grain and resistance to warping. Basswood come from Linden trees
<b>VALANCE</b>	Pelmet Facia	Decorative panel attached to front of headrail to hide functional hardware of blind.
<b>VALANCE RETURNS</b>	Mitre Joints	<p>Corner pieces for the valance to cover ends of the head rail. For blind size blinds that sit outside the window recess. There are two types of valance returns -</p> <p>Single Return - one mitred corner piece Double Return - two mitred corner pieces</p>
<b>LATHE</b>	-	Bottom bar that slides into bottom pocket of roller blind
<b>SWIVEL BRACKET</b>	Top Fix Bracket Wall/Ceiling Bracket	Top fix bracket with pivoting lock
<b>FACE FIX BRACKET</b>	End Fix Bracket Box Bracket	Surface mounting bracket protruding at 90° from mounting surface
<b>MONO CONTROL</b>	-	Blind tilt and raise control operated via single cord
<b>PRECISION BOTTOM BAR</b>	-	Teardrop shaped exposed metal bottom bar for roller fabric. Available in 3 colours (white, silver & black)
<b>UNIVIEW™ BOTTOM BAR</b>	-	Round exposed metal bottom bar for roller fabric. Available in 3 options (Type A - White exposed, Type B - plain & Type C - aluminium exposed)

\* For measuring instructions for both blind size and recess, please refer to the Decora measuring instructions (available on [www.decora.co.uk](http://www.decora.co.uk))



# TIMBERLUX™

standard defaults & optional variations

## TIMBERLUX™ - OXFORD

	STANDARD DEFAULT	OPTIONAL VARIATION
HEADRAIL	Decora colour match	n/a
TASSEL	Decora colour match	Brass & chrome
TAPE	n/a	n/a
CORDS	Decora colour match	Please specify
LADDER	Decora colour match	Please specify
BOTTOM BUTTON	Decora colour match	n/a
VALANCE	Plain (no mitre)	No valance Plain with single return Plain with double return
VALANCE SIZE	10mm wider than blind	Please specify
RAISE CONTROL	Right hand side	Left hand side
TILT CONTROL	Left hand side	Right hand side
STAINING	End staining only	n/a
BRACKETS	End fix & centre support	Top fix swivel
BRANDING BADGE	Timberlux™	No branding badge
ADDITIONAL INFO	<ul style="list-style-type: none"> <li>• Width - 305mm - 2438mm (Larger sizes available - subject to stock)</li> <li>• Drop - 305mm - 3500mm (Larger sizes available - subject to conditions)</li> <li>• Slat Size - 25mm, 35mm, 45mm &amp; 50mm</li> <li>• Raise &amp; tilt controls can be placed on same side if required (only available for blinds with a width between 456mm and 1600mm)</li> <li>• Punch holes are not stained</li> <li>• Motorised tilt and raise/lower option available (Blind must be wider than 550mm for motorised option. Requested limits set before dispatch)</li> </ul>	

## TIMBERLUX™ - BALMORAL

	STANDARD DEFAULT	OPTIONAL VARIATION
HEADRAIL	Decora colour match	n/a
TASSEL	Decora colour match	Brass & chrome
TAPE	Decora colour match	Please specify
CORDS	Decora colour match	Please specify
LADDER	n/a	n/a
BOTTOM BUTTON	Brass	n/a
VALANCE	Plain (no mitre)	No valance Plain with single return Plain with double return
VALANCE SIZE	10mm wider than blind	Please specify
RAISE CONTROL	Right hand side	Left hand side
TILT CONTROL	Left hand side	Right hand side
STAINING	End staining only	n/a
BRACKETS	End fix & centre support	Top fix swivel
BRANDING BADGE	Timberlux™	No branding badge
ADDITIONAL INFO	<ul style="list-style-type: none"> <li>• Width - 305mm - 2438mm (Larger sizes available - subject to stock)</li> <li>• Drop - 305mm - 3500mm (Larger drop sizes are available on request)</li> <li>• Slat Size - 25mm, 35mm, 45mm &amp; 50mm</li> <li>• Raise &amp; tilt controls can be placed on same side if required (only available for blinds with a width between 456mm and 1600mm)</li> <li>• Punch holes are not stained</li> <li>• Motorised tilt and raise/lower option available (Blind must be wider than 550mm for motorised option. Requested limits set before dispatch)</li> </ul>	

## TIMBERLUX™ - WINDSOR

	STANDARD DEFAULT	OPTIONAL VARIATION
HEADRAIL	Wooden (sprayed to match)	n/a
TASSEL	Decora colour match	Brass & chrome
TAPE	Decora colour match	Please specify
CORDS	Decora colour match	Please specify
LADDER	Decora colour match	Please specify
BOTTOM BUTTON	Decora colour match	n/a
VALANCE	n/a	n/a
VALANCE SIZE	n/a	n/a
RAISE CONTROL	Right hand side	Left hand side
TILT CONTROL	Left hand side	Right hand side
STAINING	End staining only	n/a
BRACKETS	Separate Bracket	n/a
BRANDING BADGE	Timberlux™	No branding badge
ADDITIONAL INFO	<ul style="list-style-type: none"> <li>• Width - 305mm - 2438mm (Larger sizes available - subject to stock)</li> <li>• Drop - 305mm - 3500mm (Larger sizes available - subject to conditions)</li> <li>• Slat Size - 25mm, 35mm, 45mm &amp; 50mm</li> <li>• Raise &amp; tilt controls can be placed on same side if required (only available for blinds with a width between 456mm and 1600mm)</li> </ul>	

## TIMBERLUX™ - SHUTTERSTYLE

	STANDARD DEFAULT	OPTIONAL VARIATION
HEADRAIL	Decora colour match	n/a
ACORN / TASSEL	Decora colour match	Brass & chrome
TAPE	n/a	n/a
CORDS	Decora colour match	Please specify
LADDER	Decora colour match	Please specify
BOTTOM BUTTON	Decora colour match	n/a
VALANCE	Plain (no mitre)	No valance Plain with single return Plain with double return
VALANCE SIZE	10mm wider than blind	n/a
RAISE CONTROL	Right hand side	Left hand side
TILT CONTROL	Left hand side	Right hand side
STAINING	End staining (cut outs not stained)	n/a
BRACKETS	End fix & centre support	Top fix swivel
BRANDING BADGE	Timberlux™	No branding badge
ADDITIONAL INFO	<ul style="list-style-type: none"> <li>• Width - 305mm - 2438mm</li> <li>• Drop - 305mm - 3500mm (Larger sizes available - subject to conditions)</li> <li>• Slat Size - 65mm (slats are removable)</li> <li>• Raise &amp; tilt controls can be placed on same side if required (only available for blinds with a width between 456mm and 1600mm)</li> </ul>	

- Optional variations are available on request. Some optional variations have additional surcharges, please check with Customer Services at time of ordering
- Special requests may be accommodated, please check with Customer Services
- Finished Timberlux™ blind control ends 2/3 from drop of blind
- Guide wires (Side Guides) are available on request for all Timberlux™ blinds
- Timberlux™ blinds are produced within an operating tolerance of +/-5mm (width) and +/-5mm (drop)
- The number of ladders on all Timberlux™ blinds is dictated by the width of blind. Blinds that require same number of ladders must be specified at time of ordering
- To confirm Decora colour match please contact Customer Services



# SUN LIVING™

standard defaults & optional variations

## SUNWOOD™

	STANDARD DEFAULT	OPTIONAL VARIATION
SLAT SIZE	n/a	25, 35 or 50mm
HEADRAIL	Colour co-ordinated	n/a
BOTTOM BAR	Colour co-ordinated	n/a
LADDER	Colour co-ordinated	n/a
CORD	Colour co-ordinated	n/a
CHAIN	Colour co-ordinated	n/a
TASSEL	Colour co-ordinated	n/a
VALANCE	Plain (no mitre)	No valance Plain with single return Plain with double return Uncut oversize (inc return ends)
VALANCE WIDTH	12mm wider than blind	n/a
VALANCE SIZE (WITH DOUBLE RETURN)	14mm wider than blind	n/a
RAISE CONTROL	Right hand side cord	n/a
TILT CONTROL	Left hand side cord	n/a
BRACKETS	End fix & centre support	Extension
BRANDING BADGE	Sunwood™	No branding badge
ADDITIONAL INFO	<ul style="list-style-type: none"> <li>• Width - 290mm - 2400mm</li> <li>• Drop - 150mm - 2700mm</li> <li>• Slat packs available subject to stock availability only</li> <li>• Slat ends are not stained</li> <li>• Tapes not available</li> <li>• Sunwood™ blinds are produced within an operating tolerance of +/-5mm (width) and +/-5mm (drop)</li> <li>• Finished blind control ends 2/3 from drop of blind</li> </ul>	

## SUNVENT™

	STANDARD DEFAULT	OPTIONAL VARIATION
SLAT SIZE	25mm only	n/a
HEADRAIL	Colour co-ordinated	n/a
BOTTOM BAR	Colour co-ordinated	n/a
LADDER	Colour co-ordinated	n/a
CORD	Colour co-ordinated	n/a
CHAIN	n/a	n/a
TASSEL	Colour co-ordinated	n/a
VALANCE	n/a	n/a
TILT CONTROL	Left hand side (wand)	n/a
CONTROL COLOUR	Colour co-ordinated	n/a
RAISE CONTROL	Right hand side	n/a
CORD LOCK	Colour co-ordinated	n/a
BRACKETS	Top Fix	n/a
BRANDING BADGE	Sunvent	No branding badge
ADDITIONAL INFO	<ul style="list-style-type: none"> <li>• Width - 365mm - 2400mm</li> <li>• Drop - 100mm - 2100mm</li> <li>• Available in 5 colourways only</li> <li>• Sunvent™ blinds are produced within an operating tolerance of +/-5mm (width) and +/-5mm (drop)</li> <li>• Sunvent™ wands are standard lengths. The following Sunvent™ box sizes are supplied with joint wands -               <ul style="list-style-type: none"> <li>- 45mm x 210mm</li> <li>- 60mm x 210mm</li> <li>- 75mm x 210mm</li> </ul> </li> </ul>	

## SUNPLEAT™

	STANDARD DEFAULT	OPTIONAL VARIATION
CELL	Double	n/a
HEADRAIL	Colour co-ordinated	n/a
BOTTOM BAR	Colour co-ordinated	n/a
LADDER	n/a	n/a
CORD	Colour co-ordinated	n/a
CHAIN	n/a	n/a
TASSEL	Colour co-ordinated	n/a
VALANCE	n/a	n/a
VALANCE WIDTH	n/a	n/a
RAISE CONTROL	Right hand side	n/a
BRACKETS	Top fix	n/a
BRANDING BADGE	Sunpleat™	No branding badge
ADDITIONAL INFO	<ul style="list-style-type: none"> <li>• Width - 250mm - 1800mm</li> <li>• Drop - 150mm - 2100mm</li> <li>• Routless system - no holes for maximum privacy</li> <li>• Sunpleat™ blinds are produced within an operating tolerance of +/-5mm (width) and +/-5mm (drop)</li> <li>• Finished blind control ends 2/3 from drop of blind</li> </ul>	

## SUNWEAVE™

	STANDARD DEFAULT	OPTIONAL VARIATION
WEAVE TYPE	Aztec or Inca (please specify)	n/a
HEADRAIL	Colour co-ordinated	n/a
BOTTOM BAR	Colour co-ordinated	n/a
LADDER	n/a	n/a
CORD	Colour co-ordinated	n/a
CHAIN	n/a	n/a
TASSEL	Colour co-ordinated	n/a
VALANCE	150mm (bamboo overhang from top)	n/a
VALANCE WIDTH	n/a	n/a
RAISE CONTROL	Right hand side	n/a
BRACKETS	Top fix & centre support	n/a
BRANDING BADGE	Sunweave™	No branding badge
ADDITIONAL INFO	<ul style="list-style-type: none"> <li>• Width - 300mm - 1800mm</li> <li>• Drop - 400mm - 1800mm</li> <li>• Sunweave™ blinds are produced within an operating tolerance of +/-5mm (width) and +/-5mm (drop)</li> <li>• Finished blind control ends 2/3 from drop of blind</li> </ul>	

- Optional variations are available on request. Some optional variations have additional surcharges, please check with Customer Services at time of ordering
- For guidance on valance sizes for Sunwood™ blinds please refer to Decora standard definitions page



# ROLLER, VERTICALS & DURASHADE™

standard defaults & optional variations

## ROLLER

	STANDARD DEFAULT	OPTIONAL VARIATION
ROLLER TUBE	Aluminium	n/a
LATHE	Clear	Wooden or none
OPERATING CHAIN	White	Nickel or brown
RAISE CONTROL	Right hand side	Left hand side
CONTROL	Friction	Spring
CLUTCHES	32mm	25mm, 36mm, 40mm & 45mm
KNOT HOLDER	White plastic	Please specify
THREAD	Colour co-ordinated	Please specify
FABRIC POSITION	Behind roller	Infront of roller (reverse rolled)
BRACKET	End fix	Extension
SCALLOPS	n/a	Various available
POLES & FINIALS	n/a	Various available
ADDITIONAL INFO	<ul style="list-style-type: none"> <li>• Width - 610mm - 3048mm (depending on fabric)</li> <li>• Drop - 914mm - 3505mm</li> <li>• Motorised option available</li> <li>• Blinds with drop or width above 1800mm are joined either by weld or stitch - dependant on fabric. Please note certain patterned fabric can not be joined, please ask at time of order</li> <li>• Fabric with patterns may not be able to be turned</li> <li>• Precision &amp; Uniview™ bottom bars have a welded pocket so a metal lathe can be slotted in (required due to weight of fabric used)</li> <li>• The Precision and Uniview™ bars are fitted externally by use of a rigid tape or welded on profile</li> <li>• Roller blinds are produced within an operating tolerance of +/-5mm (width) and +/-300mm (drop)</li> <li>• For all Uniview™ fabric the default operating chain is nickel</li> <li>• Finished blind control ends 100mm from drop of blind</li> </ul>	

## ttROLLER

	STANDARD DEFAULT	OPTIONAL VARIATION
HEADRAIL	T&TR cassette white	T&TR cassette silver or brown
BOTTOM BAR	White	Silver or brown
OPERATING CHAIN	n/a	n/a
PULL CORD	n/a	n/a
KNOT HOLDER	n/a	n/a
CONTROL	n/a	n/a
BRACKET	n/a (clicks into frame)	n/a
SIDE CHANNELS	T&TR white	T&TR silver or brown
ADDITIONAL INFO	<ul style="list-style-type: none"> <li>• Width - 610mm - 1829mm</li> <li>• Drop - 610mm - 2438mm</li> <li>• Extras - white component set</li> <li>• Measurement must be given as glass size</li> <li>• Selected fabric can only be used in ttRollers. Please refer to Decora price book for fabric selection</li> <li>• Speed reducer (decelerator) option available which allows blind to raise slower than the standard default</li> <li>• ttRoller blinds are produced within an operating tolerance of +/-5mm (width) and +/-5mm (drop)</li> </ul>	

## LOUVRE/VERTICAL

	STANDARD DEFAULT	OPTIONAL VARIATION
LOUVRE SIZE	89mm	127mm (selected fabrics only)
HEADRAIL	Excel	Trak One
HEADRAIL COLOUR	White	Silver or brown (excel only)
TILT CONTROL	Right hand side	Left hand side
OPEN CONTROL	Right hand side	Left hand side
OPEN CORD	White	Grey
TILT CHAIN	Nickel	White
LOURVE BUNCH	Split	Left, right or centre
HANGERS	Single	Double
BOTTOM WEIGHT	White	Beige
STAB CHAIN	White	Beige
BRACKET	Top fix spring	Face, shallow fix or extension
ADDITIONAL INFO	<ul style="list-style-type: none"> <li>• Width - 250mm - 5000mm</li> <li>• Drop - 100mm - 3500mm</li> <li>• Motorised tilt option available (Excel only)</li> <li>• Standard bunching is split. Bunching can be placed to left or right if specified at time of ordering</li> <li>• Louvre blinds are produced within an operating tolerance of +/-5mm (width) and +/-5mm (drop)</li> <li>• Slopping headrails are available on request</li> <li>• Finished blind control ends 2/3 from drop of blind</li> </ul>	

## DURASHADE™

	STANDARD DEFAULT	OPTIONAL VARIATION
LOUVRE SIZE	89mm	n/a
HEADRAIL	Trak One	n/a
HEADRAIL COLOUR	White	n/a
TILT CONTROL	Left hand side	Right hand side
OPEN CONTROL	Left hand side	Right hand side
OPEN CORD	White	n/a
TILT CHAIN	White	Nickel
LOURVE BUNCH	Split	Left or right
HANGERS	n/a	n/a
BOTTOM WEIGHT	n/a	n/a
STAB CHAIN	n/a	n/a
BRACKET	Top fix spring	Face, shallow fix or extension
ADDITIONAL INFO	<ul style="list-style-type: none"> <li>• Width - 250mm - 5000mm</li> <li>• Drop - 100mm - 3500mm</li> <li>• Punch hole position - 6mm from top of slat</li> <li>• Punch hole size - 6mm (wide) x 4mm (height)</li> <li>• Finished slat is curved at top and bottom</li> <li>• Durashade™ blinds are produced within an operating tolerance of +/-5mm (width) and +/-5mm (drop)</li> <li>• Slopping headrails are available on request</li> <li>• Finished blind control ends 2/3 from drop of blind</li> </ul>	

• Optional variations are available on request. Some optional variations have additional surcharges, please check with Customer Services at time of ordering



# VENETIANS, SOFTSHADE™ & CASSETTE

standard defaults & optional variations

## ALUMINIUM VENETIAN

	STANDARD DEFAULT	OPTIONAL VARIATION
SLAT SIZE	25mm	35 & 50mm (white, black & magnolia)
HEADRAIL	Decora colour match	n/a
BOTTOM BAR	Decora colour match	n/a
TASSEL	Clear plastic	n/a
LADDER	Decora colour match	Please specify
CORD	Decora colour match	Please specify
RAISE CONTROL	Right hand side	Left hand side
TILT CONTROL	Left hand side	Right hand side
TILT OPTIONS	Wand (all sizes)	Cord (35mm & 50mm only)
BRACKET	Top fix	Extension
ADDITIONAL INFO	<ul style="list-style-type: none"> <li>• Width - 210mm - 3050mm</li> <li>• Drop - 120mm - 3500mm</li> <li>• Motorised option available 25mm only (motorised option only tilts the blind, it does not raise or lower the blind)</li> <li>• Raise and tilt controls can be placed on same side (available in blind sizes over to 456mm only)</li> <li>• Guide wires are available on request</li> <li>• Aluminium blind sizes do not include end caps. These are approx 5mm in total and should be noted at time of measuring</li> <li>• Aluminium blinds are produced within an operating tolerance of +/-5mm (width) and +/-5mm (drop)</li> <li>• Finished blind control ends 2/3 from drop of blind</li> </ul>	

## ttVENETIAN

	STANDARD DEFAULT	OPTIONAL VARIATION
SLAT SIZE	25mm	n/a
HEADRAIL	White	n/a
BOTTOM BAR	White	n/a
TASSEL	n/a	n/a
LADDER	Decora colour match	n/a
CHAIN	White	n/a
TILT & RAISE CONTROL	Left hand side	Right hand side
BRACKET	n/a (clicks into frame)	n/a
ADDITIONAL INFO	<ul style="list-style-type: none"> <li>• Width - 350mm - 1829mm</li> <li>• Drop - 300mm - 2350mm</li> <li>• Measurement must be given as glass size</li> <li>• ttVenetian is available in mono control only</li> <li>• ttVenetian blinds are produced within an operating tolerance of +/-3mm (width) and +/-5mm (drop)</li> </ul>	

## SOFTSHADE™

	STANDARD DEFAULT	OPTIONAL VARIATION
CELL	Single	Double & black out single
BOTTOM BAR	White (covered by fabric)	n/a
HEADRAIL	White (covered by fabric)	n/a
OPERATIONS	Bottom up	Top down, bottom up
CONTROL	Left hand side	Right hand side
CORD	Decora colour match	n/a
BRACKET RAIL	Top Fix	n/a
ADDITIONAL INFO	<p><b>Bottom up:</b></p> <ul style="list-style-type: none"> <li>• Width 330mm - 3048mm</li> <li>• Drop - 305mm - 3048mm</li> </ul> <p><b>Top down, bottom up:</b></p> <ul style="list-style-type: none"> <li>• Width - 330mm - 1829mm</li> <li>• Drop - 305mm - 2134mm</li> </ul> <p><b>Arched:</b></p> <ul style="list-style-type: none"> <li>• Width - 330m - 2134mm</li> <li>• Drop - 153 - 1067mm</li> </ul> <ul style="list-style-type: none"> <li>• Softshade™ blinds are produced within an operating tolerance of +/-3mm (width) and +/-5mm (drop)</li> <li>• Finished blind control ends 2/3 from drop of blind</li> </ul>	

## CASSETTE

	STANDARD DEFAULT	OPTIONAL VARIATION
CONTROL OPERATION	Right hand side Manual	Left hand side System 40 - Bead chain or spring System 55 - Bead chain, gear or spring System 90 - Gear only (electric option available)
SIDE CHANNEL	Face fix	Side fix
HEADBOX	Face fix	Side fix or top fix
PROFILE COLOUR	Black	White
ADDITIONAL INFO	<ul style="list-style-type: none"> <li>• Cassette is available in 3 systems - - System 40 - System 55 - System 90</li> <li>• Selection of system at customer discretion (Systems 40 &amp; 55 can only be used for blinds up to certain widths and drops, please ask for details)</li> <li>• Motorised remote or switch option available on System 90 only</li> <li>• Cassette blinds are produced within an operating tolerance of +0mm, -3mm (width) and +0mm, -3mm (drop)</li> </ul>	

- Optional variations are available on request. Some optional variations have additional surcharges, please check with Customer Services at time of ordering
- Guide wires (Side Guides) are available on request for all Aluminium blinds
- To confirm Decora colour match please contact Customer Services



# SKYLINE™ & VELUX™

standard defaults & optional variations

## SKYLINE™ 230

	STANDARD DEFAULT	OPTIONAL VARIATION
HEADRAIL	Silver	n/a
BOTTOM RAIL	Silver	n/a
OPERATING CHAIN	n/a	n/a
PULL CORD	n/a	n/a
KNOT HOLDER	n/a	n/a
CONTROL	Spring lock handle (on bottom rail)	n/a
BRACKET	Silver (clicks into fascia)	n/a
SIDE CHANNELS	Wooden	n/a
FASCIA	Silver	n/a
ADDITIONAL INFO	<ul style="list-style-type: none"> <li>• Skyline™ blinds are cut to size according to existing Velux™ codes</li> <li>• Skyline™ blinds are produced within an operating tolerance of +/-5mm (width) and +/-5mm (drop)</li> </ul>	

## SKYLINE™ 460

	STANDARD DEFAULT	OPTIONAL VARIATION
HEADRAIL	Silver	White
BOTTOM RAIL	Silver	White
OPERATING CHAIN	n/a	n/a
PULL CORD	n/a	n/a
KNOT HOLDER	n/a	n/a
CONTROL	Spring lock handle (on bottom rail)	n/a
BRACKET	Silver (clicks into fascia)	White (clicks into fascia)
SIDE CHANNELS	Silver	White
FASCIA	Silver	White
ADDITIONAL INFO	<ul style="list-style-type: none"> <li>• Blind sizes are based on existing Velux™ codes</li> <li>• Velux blinds are produced within an operating tolerance of +/-5mm (width) and +/-5mm (drop)</li> </ul>	

## VELUX™

	STANDARD DEFAULT	OPTIONAL VARIATION
HEADRAIL	Silver	n/a
BOTTOM RAIL	Silver	n/a
OPERATING CHAIN	n/a	n/a
PULL CORD	n/a	n/a
KNOT HOLDER	n/a	n/a
CONTROL	Spring lock handle (on bottom rail)	n/a
BRACKET	Silver (clicks into fascia)	n/a
SIDE CHANNELS	Wood	n/a
FASCIA	Silver	n/a
ADDITIONAL INFO	<ul style="list-style-type: none"> <li>• Blind sizes are based on existing Velux™ codes</li> <li>• Velux blinds are produced within an operating tolerance of +/-5mm (width) and +/-5mm (drop)</li> </ul>	

• Optional variations are available on request. Some optional variations have additional surcharges, please check with Customer Services at time of ordering